

BUMIGA

CATALOGUE 2023

COOKTOP

OVEN
SINK
WARMER
COMPACT OVEN



BUMIGA.COM

2 0 2 3

IW 102

NEW

Size: 91.5 x 53 CM **Cooktop**

Type of burner Italy Sabaf Burner AE2 series
Knob 5pcs white LED knob with green knob indicator
Triple Ring Burner 4KW DUAL
Valve degree 270
Flame Failure Device italy Sabaf
Cast iron pan
Cast iron Pan Support



IS 5910

Size: 90 x 51 CM **Cooktop**

Flush-Mount

Type of burner Italy Sabaf Burner AE2 series
Two-component Knob made of fireproof bakelite
Triple Ring Burner 4KW DUAL
Valve degree 270
Flame Failure Device italy Sabaf
Cast iron pan
Cast iron Pan Support



IS 5911

Size: 90 x 51 CM **Cooktop**

Flush-Mount

Type of burner Italy Sabaf Burner AE2 series
Two-component Knob made of fireproof bakelite
Triple Ring Burner 4KW DUAL
Valve degree 270
Flame Failure Device italy Sabaf
Cast iron pan
Cast iron Pan Support



IG 221

NEW

Size: 59 x 52 CM **Induction Cooktop**

Full touch control
4 Cooking Zones For Variety Cooking
Quadruple Safety Protection
7200W Strong Power
Constant Wave Technology
Frequency(Hz) 60/50 Hz
Certification LVD/GS/CB/SAA/EMC/ERP



BG 360

NEW

Cooktop:

Front:Left-1 single burner x 12,000BTU,Center-1 single burner 18,000BTU,Right-1 single burner 12,000BTU

Rear:Left-1 single burner x 9,000BTU,Center-1 single burner 12,000BTU,Right-1 single burner x 9,000BTU

Cooktop: Continuous Grates,LP Convertible,Sealed Burners

Control panel:

SS Control panel

Controls Type: Oven function button

OVEN:

Oven Capacity: 4.55 cu. ft.

Oven Color: Black

Oven Features: Bake,Broil,Conv bake,Conv Roast,Pizza,Keep Warm

Oven Settings: Start/Ok,Timer On/Off

Lower Heater Power: 18000 BTU

Top Heater Power: 13500 BTU

Convection: Convection

Oven Light: 40*1W, Rear

Oven Racks: 2

Rack Positions: 5

Oven Rack Material: Chrome Plated

Baking Sheet: Fits 23"x 16"Baking Sheet

Size: 36 INCH **Freestanding Gas Range**



BDC 900

NEW

Cooktop:

Front:Left-Ultra rapid 4.20 kW,Centre-1.00 kW,Right-1.8 kW

Rear:Left-3.00 kW,Centre-1.80 kW,Right-3.00 kW

Heavy duty cast iron pan stands

Automatic electronic ignition with thermocouple

Safety valves

Control panel:

SS Control panel

Large LED display with dimension 218mm*78mm

Oven:

Enamel interior Air cooling system

13 functions(bake, fan bake,fan forced, convection bake,grill,fan grill, pizza,rotisserie,defrost,proof,dehydrate,keep warm,air fry)

Oven capacity: gross - 122 litres, net - 102 litres

Usable cavity space dimensions (HxWxD): 385x715x443mm

Large professional style controls

Easy clean grey enamel interior

Top Heater Power :2900W

Lower Heater Power :1700W

Rear Heater:1500W*2

Temperature probe including

25*2W halogen lights

Two convection fans

2 chrome plated racks 5 Rack positions

Quadruple glazed removable door glass

Removable inner door

Pyrolytic(Self) and steam cleaning function

Size: 90 CM **Freestanding Gas Range**



BG 361

Size: 90 CM **Freestanding Gas Range**

Cooktop:

Front:Left-Ultra rapid 4.20 kW, Centre-1.00 kW, Right-1.8 kW

Rear:Left-3.00 kW, Centre-1.80 kW, Right-3.00 kW

6 burners stainless steel pan stands rapid burners

Heavy duty cast iron pan stands

Automatic electronic ignition

Safety valves

Control panel:

SS Control panel

Large LED display with dimension 218mm*78mm

Oven:

glazed 5 different cooking levels

Enamel interior Air cooling system

8 functions(fan forced,bake, fan bake,proof,convection bake,grill,fan grill,warm)

Oven capacity: gross - 122 litres, net - 102 litres

Usable cavity space dimensions (HxWxD): 385x715x443mm

Large professional style controls

Easy clean grey enamel interior

Top Heater Power :2900W

Lower Heater Power :1700W

Rear Heater:1500W*2

25*2W halogen lights

Two convection fans

2 chrome plated racks 6 Rack positions



BD 901

Size: 30 INCH **freestanding Electric Range**

Cooktop:

Front:Left-3000 W (1500W and 1500W),Right-3,000W

Rear:Left-1,200W,Right-1,200W

Rear Center (Warm): 100W

Cooktop: Black Polished Plate Glass Ceramic Cooktop

Hot Surface Indicator Light: Front Right Corner of Cooktop w/Temp at 150°F (65°C)

Control panel:

SS Control panel

controlled by touch button on LED Screen

Child lock function for LED screen

4 electric elements controlled by ABS knobs (excluding warming center element)

OVEN:

Oven Capacity: 4.55 cu. ft.

Oven Color: Black

Oven Features: Bake,Broil,Conv bake,Conv Roast,Pizza,Keep Warm

Oven Settings: Start/Ok,Timer On/Off

Lower Heater Power: 3500W

Top Heater Power: 3500W

Convection: Convection

Oven Light: 40*1W, Rear

Oven Racks: 2

Rack Positions: 5



BG3605U

Size: 36 INCH **Freestanding Electric Range**

Cooktop:

Front:Left-3000 W (1,500W and 1,500W),Right-3000 W (1,800W and 1,200W)

Rear:Left-1,200 W,Right-1,200 W

Rear Center (Warm): 100W

Cooktop: Black Polished Plate Glass Ceramic Cooktop

Hot Surface Indicator Light: Front Right Corner of Cooktop w/Temp at 150°F

Control panel:

SS Control panel

controlled by touch button on LED Screen

Child lock function for LED screen

6 electric elements controlled by ABS knobs (excluding warming inner),
warming center element

OVEN:

Oven Capacity: 4.55 cu. ft.

Oven Color: Black

Oven Features: Bake,Broil,Conv bake,Conv Roast,Pizza,Keep Warm

Oven Settings: Start/Ok,Timer On/Off

Lower Heater Power: 3000W

Top Heater Power: 3500W

Convection: Convection

Oven Light: 40*1W, Rear

Oven Racks: 2

Oven Rack Material: Chrome Plated

Baking Sheet: Fits 23" x 16" Baking Sheet



BR 601

Size: 36 INCH **Freestanding Electric Range**

Cooktop:

Front:Left-9"/6"Dual Element,3000W (1500W+1500W),Right-12"/9"Dual Element,3000W (1800W+1200W)

Rear:Left-1200,6W,Right-1200,6W

Center:100,7W Warming zone

Black Polished plate glass-ceramics cooktop

The burner is silver printed on the glass

Hot surface light on when the temp over (150) 65

Control panel:

SS Control panel

6 pcs of high quality control knobs

Metal oven light/fan button with led light

Control type :360°Energy regulator to control

Control Panel :Blue Led indicators on panel ,

The Knob light up (down shine)when knob open

OVEN:

Oven capacity :6.0 Cu. Ft.

Oven color : Blue porcelain with white dots

Top Heater Power :3500W

Lower Heater Power :3500W

True convection,rear heating element:1300W

Oven light qty :1, rear

2 chrome plated racks

6 Rack positions



BG 3605U

Size: 30 INCH **Freestanding Gas Range**

NEW

Stainless steel front with Blue powder coating Side panels
Oven Capacity : 6.1 cu.ft.
Glass Touch LED display , Child lock
5 burners : Right Front: 15,000BTU ,Right Rear: 9,500BTU,
Center Burner:5,000BTU,Left Front: 18,000BTU, Left Rear: 9,500BTU
3 pcs cast iron Dishwasher-safe Cooking Grates
Electronic ignition without thermocouple
Blue porcelain drip pan and oven interior
Air Fryer Function
Sparkign Ignition system
Oven top broil burner: 16,000BTU
Oven bottom burner: 19,000 BTU
2 pcs electroplate oven racks with 7 rack positions
Convection System: Fan only
2 pc Halogen Light
Self Clean
Steam Cleaning Function
With Storage Drawer
Natural Gas /LP convertible (LP KIT sell separately)



BGE 101

Size: 30 INCH **Freestanding Electric Range**

NEW

Stainless steel front with Blue powder coating Side panels
Oven Capacity: 6.3 cuft.
Glass Touch LED Display , Child lock
5pcs radiant electric elements Burners 3,000W/2200W/1200W/1200W/100W
4 pcs non Weighted Burner Knobs
Air Fryer Function
Bake Power: 3,900 W
Broil power: 4,300 W
2 pcs electroplate oven racks with 7 pack positions
2 pc halogen oven interior light
Self Clean
Steam Cleaning Function
Storage Drawer
Dimensions (TBA) (Excl. Handle)
UL certificate



6032 | R0
NEW

Flush-Mount / Handmade

Size: 120 x 50 CM



6008 | R25

Size: 75 x 44 CM



6005 | R0

Handmade

Size: 47.5 x 40 CM



6015 | R0

Flush-Mount / Handmade

Size: 100 x 51 CM



BUMIGA

IO 116

NEW

Full touch control
A+ energy level / 2* Lamp
12 functions / 1*meat probe
side racks with 5 shelf positions
Catalytic liner / 1* Rotisserie folk
4 layers glass door plate
Soft Close / Open
1* pair of TELESCOPICE SHELF
1* square grill rack / 1* baking tray



Double Tap

Electric Oven(90 Liter)

IO 110

NEW

Full touch control
A+ energy level
12 functions / 1*meat probe
side racks with 5 shelf positions
Catalytic liner / 1* Rotisserie folk
4 layers glass door plate
Soft Close / Open
1* pair of TELESCOPICE SHELF
1* square grill rack / 1* baking tray



Electric Oven

IO 302

Full touch control / Italian glass(SCHOTT)
A+ energy level
12 functions / 1*meat probe
side racks with 5 shelf positions
Catalytic liner / 1* Rotisserie folk
3 layers glass door plate
Soft Close / Open
1* pair of TELESCOPICE SHELF
1* square grill rack / 1* baking tray



IO 104

Full touch control / 16 functions
A+ energy level
child lock / Catalytic liner
side racks with 5 shelf positions
3 layers glass door plate
1*meat probe
Soft Close / Open
1* pair of TELESCOPICE SHELF



Electric Oven



IW 113

NEW

Size : 59.4 x 45.4 x 56.8 cm **Compact Oven**

- Full touch control
- A+ energy level
- 13 functions
- 3 types of combined cooking
- Automatic cooking menu
- Digital display / Child Lock
- Cooking completion warning
- Defrosting with adjustable weight and time



IW 114

NEW

Size : 59.4 x 45.4 x 56.8 cm **Compact Oven**

- Full touch control
- A+ energy level
- 13 functions
- 3 types of combined cooking
- Automatic cooking menu
- Digital display / Child Lock
- Cooking completion warning
- Defrosting with adjustable weight and time



IW 102

NEW

Size : 59.5 x 14.1 x 54.1 CM **Warmer**

- Cavity Size: 22 Liter
- Bread (dough) Proofing
- Slow Cook Function
- Yoghourt Preparation
- Defrost & Soften
- Keep Drinks and Food Warm
- Dinnerware Pre-Warming & Sterilizing
- Adjustable temperature range: 104°F – 176°F



IW 101

NEW

Size : 59.5 x 14.1 x 54.1 CM **Warmer**

- Cavity Size: 22 Liter
- Bread (dough) Proofing
- Slow Cook Function
- Yoghourt Preparation
- Defrost & Soften
- Keep Drinks and Food Warm
- Dinnerware Pre-Warming & Sterilizing
- Adjustable temperature range: 104°F – 176°F



BUMIGA
www.bumiga.com

BH 101

NEW

Size : 75 CM **Hood**

Full touch control

A+ energy level

Metal motor

Remot Control / ability to control by hand movement

Four-cycle metal turbo engine with fireproof impeller

Capacity 720 m/h

Sound level 62 / 57 dl

Washable 3-layer aluminum filter

2* SMD Lamp / Has a smoke, smell, gas, heat sensor



ability to control
by hand movement



BH 102

NEW

Size : 75 CM **Hood**

Full touch control

A+ energy level

Metal motor

Remot Control / ability to control by hand movement

Four-cycle metal turbo engine with fireproof impeller

Capacity 720 m/h

Sound level 62 / 57 dl

Washable 3-layer aluminum filter

2* SMD Lamp / Has a smoke, smell, gas, heat sensor



ability to control
by hand movement



BH 103

NEW

Size : 75 CM **Hood**

Electronic buttons

A+ energy level

Metal motor

Remot Control / ability to control by hand movement

Four-cycle metal turbo engine with fireproof impeller

Capacity 720 m/h

Sound level 62 / 57 dl

Washable 3-layer aluminum filter

2* SMD Lamp / Has a smoke, smell, gas, heat sensor

